

# LED TEMPORARY WORK LIGHT





## DESCRIPTION

wide range of construction jobsite and maintenance activates with features designed to fit any application. Long lifespan, superior energy efficiency up to 75%, quick install, plug-n-play instant operate, portable, heavy duty, durable temporary lighting.

Its can change color temperature, adjust brightness; very fun application.

## KEY FEATURE


- 360°Omni-directional lighting.
- Ultra-bright: 120lm/W.
- 4--6KV internal surge protection.
- Come with 6.5foot 18AWG cord and 120V plug.
- Can connecting up to 7 pieces.
- Suitable for dry and damp location.
- Change color temperature 3000K to 6000K
- Adjust brightness 0 to100%
- Portable hook, easy to carry and quick install.
- Heavy duty and durable construction, steel stainless lamp cage.
- Better heat dissipation.
- Isolated driver to ensure stable working situation.
- Waterproof rubber design for better waterproof performance.
- Operating temperature: -40°C/-40°F to 60°C/140°F.



## SPECIFICATION


Item NO.	Watt	Total Lumens	Led Quantity	Surge Voltage	CCT	Input Voltage	CRI	Power Factor	Operating Temperature	Metal Halide Equivalent
TP-TWL50W	50W	5500LM	288	4KV	3000K 4500K 6000K	AC100-277V, 50-60Hz	>80	>0.9	-40°C to 60°C	200W

## DIMENSION





## DETAILS



**Dimmable**  
0-100% Dimmable  
Turn on/ Turn off



**Isolated LED Driver**  
Using Rubycon capacitors  
4000V surge protection  
High reliability

**Rubycon**



**110lm/W**  
Ultra-bright  
EPISTAR LED



**Change CCT**  
3000K  
4000K  
5000K



**Portable hook**  
Easy to carry and install  
Flexible with spring



**120V USA plug with cord**  
Cord length: 6.5ft  
Cord type: 18AWG



**Heavy-duty welded lamp cage**  
Steel stainless material  
Strong & durable



**Change Cover**  
Milky  
Clear



## MULTIPLE WAYS OF USING



Hanging 1



Hanging 2



Countertop



Tripod





## APPLICATION

- \* New Building Construction or Renovation.
- \* Maintenance or storage spaces in commercial or institutional facilities.
- \* Short-term maintenance projects.
- \* Warehouses, factories, Exhibition halls and workshops.
- \* Highway toll stations and gas stations.
- \* Garage or family courtyard party



## PACKAGING

Power	Net Weight	Master Carton	Master Carton(G.W.)
50W	2.65lb/1.2Kg	4 unit	13.23lb/6Kg

