



linear style  
intelligent control  
magnetic fixing

**less is more**  
full spectrum

extremely functional

# ARCHITECTURAL LIGHTING

human centric lighting  
natural CCT alternative

**more than linear**

visual comfort  
invisible lamp  
variety of mounting

**It' s a SMART system**


from line to infinite





## Contents

Track rail	01-02
Dot series	03-04
Linear series	05-06
Out series	07-08
Wallwasher series	09-10
Spot series	11-12
Fold series	13-14
Pendant series	15-16
Accessories	17-18


# Track rail



No longer a rail, it's architecture



Recessed track with the perforation trim




Track Length	1M 2M 3M
Installation	Surface/Suspension/Recessed
Material	Aluminum
Finishing	Sand black/Sand white
Size (mm)	997*39*76 1992*39*76 2997*39*76





## Dot series

Accent lighting



Minimal glare and multiple light beams




Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Dot03	Osram	4W	320lm	12/34/48D	Ra80/90	2700K-5000K	83.5*34*55.5	Yes
Dot06	Osram	8W	640lm	12/34/48D	Ra80/90	2700K-5000K	163.5*34*55.5	Dali
Dot12	Osram	16W	1280lm	12/34/48D	Ra80/90	2700K-5000K	322*34*55.5	Dali



# Linear series

General Lighting





Create a linear general illumination



Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Linear32	Osram	13W	780lm	Diffuse	Ra80/90	2700K-5000K	322*34*55.5	Dali
Linear64	Osram	26W	1600lm	Diffuse	Ra80/90	2700K-5000K	640*34*55.5	Dali
Linear96	Osram	39W	2500lm	Diffuse	Ra80/90	2700K-5000K	958*34*55.5	Dali



# Out series




Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Out03	Osram	4W	320lm	12/34/48D	Ra80/90	2700K-5000K	83.5*34*110	Dali
Out06	Osram	8W	640lm	12/34/48D	Ra80/90	2700K-5000K	163.5*34*110	Dali
Out12	Osram	16W	1280lm	12/34/48D	Ra80/90	2700K-5000K	322*34*110	Dali
Out32	Osram	13W	780lm	Diffuse	Ra80/90	2700K-5000K	322*34*110	Dali
Out64	Osram	26W	1600lm	Diffuse	Ra80/90	2700K-5000K	640*34*110	Dali
Out96	Osram	39W	2500lm	Diffuse	Ra80/90	2700K-5000K	958*34*110	Dali




## Wallwasher series

Wallwash lighting



Linear wallwashers for a soft even light effect on vertical surface




Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Washer30	Osram	16W	800lm	Wallwasher	Ra80/90	2700K-5000K	270*43*55.5	Dali
Washer30-H	Osram	16W	800lm	Wallwasher	Ra80/90	2700K-5000K	270*43*110	Dali






## Spot series

Spot lighting




Focus wherever you want




Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Spot50-S	Cree/Citizen	10W	650lm	12/24/36D	Ra80/90	2700K-5000K	50*50	Dali
Spot50-R	Cree/Citizen	10W	650lm	12/24/36D	Ra80/90	2700K-5000K	Φ65	Dali
Spot50	Cree/Citizen	10W	650lm	18/24/36D	Ra80/90	2700K-5000K	Φ50*140	Dali
Spot35	Cree/Citizen	5W	400lm	20/30/40/60D	Ra80/90	2700K-5000K	Φ35*80	Dali
Spot35-T	Cree/Citizen	2*5W	800lm	20/30/40/60D	Ra80/90	2700K-5000K	Φ35*80	Dali



## Fold series



Meet your lighting needs for different angles, different planes and different objects




Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Fold03	Osram	4W	320lm	12/34/48D	Ra80/90	2700K-5000K	84*34*181	Dali
Fold06	Osram	8W	640lm	12/34/48D	Ra80/90	2700K-5000K	163.5*34*181	Dali
Fold12	Osram	16W	1280lm	12/34/48D	Ra80/90	2700K-5000K	322.5*34*181	Dali
Fold03-C	Osram	4W	240lm	Diffuse	Ra80/90	2700K-5000K	84*34*181	Dali
Fold06-C	Osram	8W	480lm	Diffuse	Ra80/90	2700K-5000K	163.5*34*181	Dali
Fold12-C	Osram	16W	960lm	Diffuse	Ra80/90	2700K-5000K	322.5*34*181	Dali






# Pendant series

Decorative Lighting




Precise atmosphere



Item	Light Source	Power(W)	Flux	Optic	CRI	CCT	Size(mm)	Dim
Pendant-R	Cree/Citizen	8W	520lm	12/24/36D	Ra80/90	2700K-5000K	Φ55	Dali
Pendant-R	Cree/Citizen	12W	750lm	12/24/36D	Ra80/90	2700K-5000K	Φ65	Dali
Pendant-S	Cree/Citizen	8W	520lm	12/24/36D	Ra80/90	2700K-5000K	50*50	Dali
Pendant-S	Cree/Citizen	12W	750lm	12/24/36D	Ra80/90	2700K-5000K	60*60	Dali



# Accessories



Item	Size(mm)	Description	Finishing
Power plate	65*30	65mm power feed for track wire connection, with 2pcs pin	white/black
Decorative plate	65*30	65mm track decorative plate, without pin	white/black



Item	Size(mm)	Description	Finishing
Track connector	113*32.5*3	Aluminum connector for track connection	white/black



Item	Size(mm)	Description	Finishing
End cap	76*39*1.5	Aluminum end cap for track, 2PCS	white/black



Item	Size(mm)	Description	Finishing
L corner	90*90*76	Aluminum 90° horizontal connect corner with power feed	white/black



Item	Size(mm)	Description	Finishing
Inner corner	123*123*76	Inner connect corner with power feed	white/black



Item	Size(mm)	Description	Finishing
Outer corner	123*123*76	Outer connect corner with power feed	white/black



Item	Size(mm)	Description	Finishing
Recessed kit	100*67.5*38	Track recessed kit, 2pcs	white/black



Item	Size(mm)	Description	Finishing
Suspension kit-A	Φ80	Track suspension kit with steel cable	white/black
Suspension kit-B	Φ80	Track suspension kit with electric wire	white/black



Item	Size(mm)	Description	Finishing
Track cover	1M	Track cover for empty spaces	white/black
Track mask	1M/2M	Track mask for plasterboard installation protection	white/black

